Volume 307 1996

Contents

Letters to the Editor

BIMA observations of the Soft Gamma-Ray Repeaters
Smith I.A., Chernin L.M., Hurley K. L1

On the critical "fastness parameter" of a rotating star with a magnetically threaded accretion disk
Li X.-D., Wang Z.-R. L5

The discovery of nonradial pulsation in the λ Bootis star HD 111604
Bohlender D.A., Gonzalez J.-F., Kennelly E.J. L9

The distance modulus of the Large Magellanic Cloud. Constraints from RR Lyrae pulsation properties
Catelan M. L13

On the production of very high energy beamed gamma-rays in blazars
Bednarek W., Kirk J.G., Mastichiadis A. L17

Grand minima in nonlinear dynamos
Tobias S.M. L21

Resolved profiles of diffuse interstellar bands: evidence for rotational contours of gas-phase molecules
Ehrenfreund P., Foing B.H. L25

A new HST image of Cygnus A
Jackson N., Tadhunter C., Sparks W.B., Miley G.K., Macchetto F. L29

Can neutrinos from neutron star mergers power γ-ray bursts?
Janka H.-T., Ruffert M. L33

Line splitting in broad-line gamma-ray spectroscopy of "Orion-like sources"
Bykov A.M., Bozhokin S.V., Bloemen H. L37

A new mass estimate and puzzling abundances of SNR Cassiopeia A
Vink J., Kaastra J.S., Bleeker J.A.M. L41

Mechanical heating levels in ultra-fast rotating dwarfs
Doyle J.G. L45

Optical identification of the supersoft X-ray source RX J0439.8−6809
van Teeseling A., Reinsch K., Beuermann K. L49

The gravitational lens CFRS 14.1311 = HST 14176+5226
Crampton D., Le Fèvre O., Hammer F., Lilly S.J. L53

Leptonic origin of TeV gamma-rays from supernova remnants
Pohl M. L57

Cosmology

The significance of the cosmic virial theorem
Bartlett J.G., Blanchard A. 1

Phase-space distribution of volatile dark matter
Ghizzardi S., Bonometto S.A. 697

Peak statistics on COBE maps
Fabbri R., Torres S. 703

Extragalactic astronomy

ASCA observations of high redshift quasars
Siebert J., Matsuoka M., Brinkmann W., Cappi M., Mihara T., Takahashi T. 8

VLBI observations of the puzzling BL Lacertae object 0235+164
Chu H.S., Bååth L.B., Rantakyrö F.T., Zhang F.J., Nicholson G. 15

Propagation of warps in moderately thick disks
Masset F., Tagger M. 21

Redshift dependence of soft X-ray quasar spectra
Schartel N., Walter R., Fink H.H., Trümper J. 33

Gas-grain chemistry and the HCN/CO abundance ratio in the nucleus of NGC 1068
Shalabiea O.M., Greenberg J.M. 52

The synchrotron spectrum of the jet in M 87
Meisenheimer K., Röser H.-J., Schlötelburg M. 61

A model for radio/optical jets
Fedorenko V.N., Courvoisier T.J.-L. 347

Planetary nebulae associated with star clusters in the LMC
Kontizas M., Morgan D.H., Kontizas E., Dapergolas A. 359

The extended narrow line region in Mkn 79. I. Observations
Nazarova L.S., O'Brien P.T., Ward M.J. 365

The optical counterparts and the environments of ultra-steep-spectrum radio sources
Röttgering H.J.A., West M.J., Miley G.K., Chambers K.C. 376

Spectrophotometry of globular clusters in NGC 5128 (Centaurus A): determination of their metallicities
Jablonka P., Bica E., Pelat D., Alloin D. 385

Extended ionized gas in elliptical galaxies. I. Multicomponents in NGC 1052 and NGC 7332
Plana H., Boulesteix J. 391

Extinction and reddening of HII regions in the Small Magellanic Cloud
Caplan J., Ye T., Deharveng L., Turtle A.J., Kennicutt R.C. 403

The metal line systems in HS 1700+6416: evidence for inhomogeneities
Petitjean P., Riediger R., Rauch M. 417

(RN) Detection of CO emission from Dwingeloo 1
Li J.G., Zhao J.-H., Ho P.T.P., Sage L.J. 424

Hard X-ray monitoring of Centaurus A by SIGMA during 1990–94: definition of a low luminosity state
Bond I.A., Ballet J., Denis M., Vargas M., Jourdain E., Roques J.P., Bouchet L., Niel M., Chernyakova M., Churazov E., Gilfanov M., Sunyaev R., Finoguenov A., Dyachkov A., Khavenson N., Novikov B. 708

Supernova remnant dynamics and particle acceleration in elliptical galaxies
Dorfi E.A., Völk H.J. 715

The Tully–Fisher relation: correspondence between the inverse and direct approaches
Rauzy S., Triay R. 726

Statistics and properties of HII regions in a sample of grand design galaxies. I. Luminosity functions
Rozas M., Beckman J.E., Knapen J.H. 735

New BL Lacertae objects from the ROSAT All-Sky Survey
Kock A., Meisenheimer K., Brinkmann W., Neumann M., Siebert J. 745

Galactic structure and dynamics

Frequency map analysis and global dynamics in galactic potential with two degrees of freedom
Papaphilippou Y., Laskar J. 427

Anatomy of the Sagittarius A complex. V. Interpretation of the Sgr A* spectrum
Beckert T., Duschl W.J., Mezger P.G., Zylka R. 450

Stellar clusters and associations

Red giants in open clusters. V. NGC 2099
Mermilliod J.-C., Huestamendia G., del Rio G., Mayor M. 80

Lithium abundance in the globular cluster NGC 6397
Pasquini L., Molaro P. 761

Formation, structure and evolution of stars

Rotational evolution of intermediate mass stars with OPAL opacities: mass of the convective core
Kızıloğlu N., Civelek R. 88

HR 1328: a cool edge "Slowly Pulsating B Star"
Chapellier E., Sadsaoud H., Valtier J.C., Mathias P., Garrido R., Alvarez M., Sareyan J.P., Chauville J., Le Contel J.M. 91

Herculis X-1: modelling the anomalous and pre-eclipse dips with the coronal wind model
Schandl S. 95

Asymptotic representation of high-frequency, low-degree *p*-modes in stars and in the Sun
Smeyers P., Vansimpsen T., De Boeck I., Van Hoolst T. 105

Multiplicity among T Tauri stars in OB and T associations. Implications for binary star formation
Brandner W., Alcalá J.M., Kunkel M., Moneti A., Zinnecker H. 121

The X-ray and EUV spectrum of the dwarf nova VW Hydri in outburst and quiescence
Wheatley P.J., Verbunt F., Belloni T., Watson M.G., Naylor T., Ishida M., Duck S.R., Pfeffermann E. 137

DA white dwarfs in pointed observations from the ROSAT archive
Wolff B., Jordan S., Koester D. 149

New cataclysmic variables from the ROSAT All-Sky Survey
Motch C., Haberl F., Guillout P., Pakull M., Reinsch K., Krautter J. 459

PU Vulpeculae: an eclipsing symbiotic nova
Nussbaumer H., Vogel M. 470

Phase and cycle dependence of the photospheric structure and observable properties of Mira variables
Bessell M.S., Scholz M., Wood P.R. 481

The magnetic field of the Ap star HD 115708
Wade G.A., Neagu E., Landstreet J.D. 500

Pulsating motions and turbulence in δ Cephei
Fokin A.B., Gillet D., Breitfellner M.G. 503

Extragalactic symbiotic systems. III. The stellar components of the systems in the Magellanic Clouds
Mürset U., Schild H., Vogel M. 516

Nonradial pulsation of the unevolved hot δ Scuti star CD–24°7599 discovered with the Whole Earth Telescope
Handler G., Breger M., Sullivan D.J., van der Peet A.J., Clemens J.C., O'Donoghue D., Chen A.-L., Kanaan A., Sterken C., Claver C.F., Krisciunas K., Kleinman S.J., Wickramasinghe D.T., Wills B.J., Provençal J.L., Nather R.E., Winget D.E., Watson T.K., Barstow M.A., Buckley D.A.H. 529

(RN) Pulsation in high amplitude δ Scuti stars
Rodríguez E., Rolland A., López de Coca P., Martín S. 539

The possible evolutionary scenarios for the eclipsing binary system PSR 1718–19
Ergma E., Sarna M.J., Giersz M. 768

A dense stellar cluster surrounding W3 IRS 5
Megeath S.T., Herter T., Beichman C., Gautier N., Hester J.J., Rayner J., Shupe D. 775

Activity on the classical T Tauri star BP Tauri
Gullbring E., Barwig H., Chen P.S., Gahm G.F., Bao M.X. 791

Period changes of AHB 1 variables
Diethelm R. 803

Wind accretion and magnetorotational evolution of neutron stars in binaries
Geppert U., Urpin V., Konenkov D. 807

ROSAT observation of a giant X-ray flare on Algol: evidence for abundance variations?
Ottmann R., Schmitt J.H.M.M. 813

Spin-modulated radiation of intermediate polars. II. Optical light curves and Hβ line profiles
Kim Y., Beuermann K. 824

About the absence of a proper zero age main sequence for massive stars
Bernasconi P.A., Maeder A. 829

Photometric and polarimetric analysis of the flaring activity in AE Aqr
Beskrovnaya N.G., Ikhsanov N.R., Bruch A., Shakhovskoy N.M. 840

Stellar atmospheres

Estimating the total radiative power output from the hot outer layers of late-type stellar atmospheres: How many lines are required?
Doyle J.G. 162

NLTE treatment of calcium in the Monte Carlo modeling of early-time spectra of SN 1993J
Zhang Q., Wang Z.R. 166

Spread of the lithium abundance in halo stars
Spite M., François P., Nissen P.E., Spite F. 172

Be stars with small discs: structure and dynamics
Coté J., Waters L.B.F.M., Marlborough J.M. 184

Dust distribution in disks supplied by small bodies: is the β Pictoris disk a gigantic multi-cometary tail?
Lecavelier des Etangs A., Vidal-Madjar A., Ferlet R. 542

Formation of SiC grains and the 11.3 μm feature in circumstellar envelopes of carbon stars
Kozasa T., Dorschner J., Henning T., Stognienko R. 551

The abundance of boron in evolved A- and B-type stars
Venn K.A., Lambert D.L., Lemke M. 849

High resolution UV spectroscopy of two hot (pre-) white dwarfs with the Hubble Space Telescope. KPD 0005+5106 and RX J2117+3412
Werner K., Dreizler S., Heber U., Rauch T., Fleming T.A., Sion E.M., Vauclair G. 860

A study of the nature of the peculiar supergiant HD 101584
Bakker E.J., Lamers H.J.G.L.M., Waters L.B.F.M., Waelkens C., Trams N.R., van Winckel H. 869

Diffuse matter in space (including H II regions and planetary nebulae)

The central star of LoTr 5 revisited
Jasniewicz G., Thévenin F., Monier R., Skiff B.A. 200

The J_2–J_1 E methanol transitions for $J \geq 12$ in Orion KL
Wilson T.L., Zeng Q., Hüttemeister S., Dahmen G. 209

Spectrophotometric observations of planetary nebulae high above the Galactic plane
Cuisinier F., Acker A., Köppen J. 215

The kinematics and morphology of the planetary nebula Fleming 1. Bullets, jets and an expanding ring
Palmer J.W., López J.A., Meaburn J., Lloyd H.M. 225

The Plateau de Bure survey of galactic λ 3 mm HCO^+ absorption toward compact extragalactic continuum sources
Lucas R., Liszt H. 237

A kinematical investigation of the bipolar planetary nebula NGC 650-1
Bryce M., Mellema G., Clayton C.A., Meaburn J., Balick B., López J.A. 253

Monte Carlo models of the physical and chemical properties of inhomogeneous interstellar clouds
Spaans M. 271

Local space density and formation rate of planetary nebulae
Pottasch S.R. 561

The bright core and double halo of the planetary nebula NGC 40
Meaburn J., López J.A., Bryce M., Mellema G. 579

Shocked molecular hydrogen emission in the bipolar outflow NGC 6334 I
Persi P., Roth M., Tapia M., Marenzi A.R., Felli M., Testi L., Ferrari-Toniolo M. 591

CH_3CN towards G 10.47+0.03 and G 31.41+0.31
Olmi L., Cesaroni R., Walmsley C.M. 599

A precessing jet in the L 1157 molecular outflow
Gueth F., Guilloteau S., Bachiller R. 891

(RN) The abundance of SiO in ‚spiral arm' clouds
Greaves J.S., Ohishi M., Nyman L.-Å. 898

Hydrodynamic approach to cosmic ray propagation. I. Nonlinear test particle picture
Jiang I.-G., Chan K.-W., Ko C.-M. 903

Structure and excitation conditions of the southern part of the Orion B molecular cloud: a CO multiline study
Kramer C., Stutzki J., Winnewisser G. 915

The Sun

K-grains as a three-dimensional phenomenon. I. Statistics and spatial evolution
Steffens S., Hofmann J., Deubner F.L. 288

Magnetohydrodynamic turbulence in the solar convective zone as a source of oscillations and sunspot formation
Kleeorin N., Mond M., Rogachevskii I. 293

Nonasymptotic helioseismic inversion: iterated seismic solar model
Antia H.M. 609

Seismic properties of the Sun's superadiabatic layer. I. Theoretical modelling and parametrization of the uncertainties
Monteiro M.J.P.F.G., Christensen-Dalsgaard J., Thompson M.J. 624

Dynamics of the solar atmosphere. VI. Resonant oscillations of an atmospheric cavity: observations
Deubner F.-L., Waldschik T., Steffens S. 936

Quasiperpendicular wave propagation in coronal magnetostatic arcades
Čadež V.M., Oliver R., Ballester J.L. 947

Prominence and flare fine structure from cross-field thermal conduction
Gray N., Brown J.C. 955

Line formation of neutral aluminium in the Sun
Baumüller D., Gehren T. 961

The solar system

The Kozai resonance for near-Earth asteroids with semimajor axes smaller than 2 AU
Michel P., Thomas F. 310

The formation of planetary cores: a numerical approach
Namouni F., Luciani J.F., Pellat R. 972

Time and space variations of the Galactic cosmic ray electron spectrum in the 3-D heliosphere explored by Ulysses
Rastoin C., Ferrando P., Raviart A., Ducros R., Petrucci P.O., Paizis C., Kunow H., Müller-Mellin R., Sierks H., Wibberenz G. 981

Celestial mechanics and astrometry

Solar radiation pressure perturbations for Earth satellites. IV. Effects of the Earth's polar flattening on the shadow structure and the penumbra transitions
Vokrouhlický D., Farinella P., Mignard F. 635

Physical and chemical processes

Generalized Rayleigh scattering. III. Theory of I-matrices
Ivanov V.V. 319

Generalized Rayleigh scattering. IV. Emergent radiation
Ivanov V.V., Kasaurov A.M., Loskutov V.M. 332

The photodissociation of interstellar and cometary CH_2
van Dishoeck E.F., Beärda R.A., van Hemert M.C. 645

On the linear-polarization modulation of hydrogen lines
Casini R. 653

The $\omega\Omega$ dynamo in accretion disks of rotating black holes
Khanna R., Camenzind M. 665

Burst propagation through interstellar gas. Self-similar solutions
Bisnovatyi-Kogan G.S., Murzina M.V.A. 686

Dynamical and radiative properties of astrophysical supersonic jets. I. Cocoon morphologies
Massaglia S., Bodo G., Ferrari A. 997

Interaction of a stellar magnetic field with a turbulent accretion disk
Bardou A., Heyvaerts J. 1009

Line profile measurements of the 2s3s–2s3p singlet and triplet transitions in Ne VII
Wrubel T., Glenzer S., Büscher S., Kunze H.-J., Alexiou S. 1023